

ROADVISION

- Ultra-slimline LED strip signal lamps
- Multi-volt 10-30V DC input & low current draw
- Brighter than conventional incandescent systems
- 100,000 hour LED life span with solid state technology
- Maintenance free
- Sealed polycarbonate lens & high impact ABS housing
- Water and dust proof
- Pre-wired with 300mm of sheathed tinned copper cable
- Simple surface mount design
- ADR/ECE approved for all functions





















ROADVISION'S BR70 Series LED signal lamps are a versatile ultra-slimline solution! Available in Stop/Tail, Indicator & Reverse functions all in an ultra-slim (28mm) strip lamp, the BR70 Series are a simple DIY trailer lighting solution. Designed for applications where space is at a premium, they deliver the durability of maintenance free LED technology and greater visibility providing increased safety. BR70's are designed to be easily attached to horizontal or vertical mounting surfaces with a simple surface mount design. Roadvision's BR70 Series strip signal lamps produce more light output than incandescent lamps whilst drawing a fraction of the current. Constructed with durable polycarbonate lenses and high impact ABS housings, these lamps are dust & water proof and totally maintenance free with a lifespan rated at 100,000hrs. With ROADVISION it's FIT & FORGET.

PART NUMBERS

BR70R Stop/Tail Lamp LED 10-30V Strip Surface Mount BR70A

BR70AS

Rear Indicator Lamp LED 10-30V Strip Surface Mount


BR70W

Reverse Lamp LED 10-30V Strip Surface Mount

Rear Sequential Indicator Lamp LED 10-30V Strip Surface Mount

| SPECIFICATIONS | BR70R | BR70A | BR70W | BR70AS |
|-----------------------|--------------------|--------------------|--------------------|----------------------|
| FUNCTIONS | Stop/Tail | Indicator | Reverse | Sequential Indicator |
| VOLTAGE INPUT | 10-30V DC | 10-30V DC | 10-30V DC | 10-30V DC |
| NUMBER OF LED'S | 15 LED's | 15 LED's | 15 LED's | 15 LED's |
| CURRENT DRAW AMPS | 0.1/0.05A @ 13.8V | 0.1A @ 13.8V | 0.1A @ 13.8V | 0.12A @ 13.8V |
| DIMENSIONS AXBXC | 252x28x23.5mm | 252x28x23.5mm | 252x28x23.5mm | 252x28x23.5mm |
| LENS CONSTRUCTION | Polycarbonate | Polycarbonate | Polycarbonate | Polycarbonate |
| HOUSING CONSTRUCTION | High Impact ABS | High Impact ABS | High Impact ABS | High Impact ABS |
| MOUNTING HOLE CENTRES | 234mm | 234mm | 234mm | 234mm |
| CABLE LENGTH | 300mm Tinned Cable | 300mm Tinned Cable | 300mm Tinned Cable | 300mm Tinned Cable |
| ADR APPROVAL | ECE E4-7R-028536 | ECE E4-6R-0161904 | ECE E4-23R-0023465 | CRN 50353 |







ROADVISION

- Ultra-slimline LED strip signal lamps
- Multi-volt 12V DC input & low current draw
- Brighter than conventional incandescent systems
- 100,000 hour LED life span with solid state technology
- Maintenance free
- Sealed polycarbonate lens & high impact ABS housing
- Water and dust proof
- Pre-wired with 300mm of sheathed tinned copper cable
- Simple surface mount design
- ADR/ECE approved for all functions













ADR Approved

ROADVISION'S BR70 Series LED signal lamps are a versatile ultra-slimline solution! Now available in Stop/Tail & Indicator Combination Lamp all in an ultra-slim (28mm) strip lamp, the BR70 Series are a simple DIY trailer lighting solution. Designed for applications where space is at a premium, they deliver the durability of maintenance free LED technology and greater visibility providing increased safety. BR70's are designed to be easily attached to horizontal or vertical mounting surfaces with a simple surface mount design. Roadvision's BR70 Series strip signal lamps produce more light output than incandescent lamps whilst drawing a fraction of the current. Constructed with durable polycarbonate lenses and high impact ABS housings, these lamps are dust & water proof and totally maintenance free with a lifespan rated at 100,000hrs. With ROADVISION it's FIT & FORGET.

PART NUMBERS




BR70AR2

Stop/Tail/Indicator Lamp LED 12V Strip Surface Mount

| SPECIFICATIONS | BR70AR2 | | |
|-----------------------|---|--|--|
| FUNCTIONS | Stop/Tail & Indicator Indicator | | |
| VOLTAGE INPUT | 12V DC | | |
| NUMBER OF LED'S | Indicator - 6 LEDs, Stop/Tail - 9 LED's | | |
| CURRENT DRAW AMPS | Indicator - 0.1A, Stop/Tail - 0.15/0.05A @ 13.8V | | |
| DIMENSIONS AXBXC | 252x28x23.5mm | | |
| LENS CONSTRUCTION | Polycarbonate | | |
| HOUSING CONSTRUCTION | High Impact ABS | | |
| MOUNTING HOLE CENTRES | 234mm | | |
| CABLE LENGTH | 300mm Tinned Cable | | |
| ADR APPROVAL | Ind - CRN 51784 Stop - CRN 51785 Tail - CRN 51787 | | |

LINE DIAGRAM



BR70 SERIES

ROADVISION

- Multi-volt 10-30V DC input & low current draw
- Brighter than conventional incandescent systems
- 100,000 hour LED life span with solid state technology
- Maintenance free
- Sealed polycarbonate lens & ABS housing
- Water and dust proof
- Supplied pre-wired with 300mm LEDLink Connector
- Simple surface mount designs
- ADR/ECE approved for all functions

















ROADVISION'S BR70 Series LED signal lamps are now available in a twin combination lamp configuration. Using ultra-slim (28mm) strip lamps incorporated into a twin housing, the BR70AR is a simple DIY trailer lighting solution. Designed for applications where space is at a premium, they deliver the durability of maintenance free LED technology and greater visibility providing increased safety. BR70's are designed to be easily attached to horizontal or vertical mounting surfaces with a simple twin stud surface mount design. Roadvision's BR70AR strip combination lamps produce more light output than incandescent lamps whilst drawing a fraction of the current. Constructed with durable polycarbonate lenses and high impact ABS housings, these lamps are dust & water proof and totally maintenance free with a lifespan rated at 100,000hrs. With ROADVISION it's FIT & FORGET.

PART NUMBERS



Combination Lamp Twin Module LED 10-30V 234x78mm Rect Stop/Tail/Ind

| SPECIFICATIONS | BR70AR Ind - 0.1A, S/T - 0.1/0.05A @ 13.8V | | |
|-------------------------|--|--|--|
| CURRENT DRAW AMPS | | | |
| DIMENSIONS | 266x78x26mm | | |
| MOUNTING TYPE | Surface Mount | | |
| MOUNTING HOLE / CUT OUT | 160mm Stud Centres | | |
| LAMPS FUNCTIONS | Stop/Tail/Indicator | | |
| NUMBER OF LED'S | Indicator - 15 LED's, Stop/Tail - 15 LED's | | |
| CABLE LENGTH | 300mm LEDLink Connector | | |
| APPROVALS | Ind - ECE E4-6R-0161904, S/T - ECE E4-7R-028536 | | |

LINE DIAGRAM 78mm 26mm 234mm 266mm